



Cornell University Library

BOUGHT WITH THE INCOME
FROM THE

SAGE ENDOWMENT FUND
THE GIFT OF

Henry W. Sage
1891


A.71632

1/10/94

CORNELL UNIVERSITY LIBRARY



3 1924 053 948 984



Cornell University Library

The original of this book is in
the Cornell University Library.

There are no known copyright restrictions in
the United States on the use of the text.

ILLUSTRATIONS
OF
BRITISH FUNGI.

ILLUSTRATIONS
OF
BRITISH FUNGI
(HYMENOMYCETES),

To serve as an Atlas to the Handbook of "British Fungi."

BY

M. C. COOKE, M.A., LL.D., A.L.S.,

Late President of the Quekett Microscopical Club. President of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine, and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Scotland; the Woolhope Field Club; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists' Society; the Essex Field Club; and other Societies.

VOL. V.

London :

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1886-1888.

visid.



G.M.

AGARICUS (PANÆOLUS) SEPARATUS
 on dung. Scarboro.' &c.

F. 1882



viscid.



G M

AGARICUS (*PANÆOLUS*) EGREGIUS. *Massee.*
on the ground. Scarborough.




A



AGARICUS (PANÆOLUS) LEUCOPHANES. *B. & Br.*
in grassy places. Kings Cliffe.

B




AGARICUS (PANÆOLUS) SCITULUS. *Massee.*
on soil in plant pot. Scarboro'.

G.M.



viscid.



M.C.C.

AGARICUS (PANÆOLUS) FIMIFUTRIS
 in pastures. Chingford. Oct. 3





AGARICUS (PANÆOLUS) PHALENARUM. Lill
 on dung. Lightfoot Aug., 1891.



moist, opaque.

M.C.C.

M.J.B.



AGARICUS (PANÆOLUS) PETIRUGIS Fr. *Fr.*
ex. duan. *Neesler* *Sept., 1881*






M.C.C.

AGRICOL (P. P.) ...
 on dung. Loughton. Nov., 1881.



COPRINARIÆ.



M.C.C.

AGARICUS (*PANÆOLUS*) CAMPANULATUS. Bull.
in pastures. Chingford. Oct., 1882.



dry, shining.



M.C.C.


AGARICUS (PANICOLUS) PARVULAEUS. Bull
in palmis. Champ. ed. Oct., 1852





M.C.C.

AGARICUS (PANÆOLUS) CALIGINOSUS. *Jungh.*
on the ground. Highbeach. Nov., 1881.



M.A.B.

AGARICUS (PANÆOLUS) SUBBILTEATUS. *B. &*
on the ground. S. Herbert! Oct., 1884.




A



AGARICUS (*PANÆOLUS*) ACUMINATUS. *Fries.*
by roadsides. Sibbertoft.

B



M.C.C.

AGARICUS (*PANÆOLUS*) ACUMINATUS. *Fries.*
by roadsides. Sibbertoft.





FIG. 20. *COPPINARIA* ...
 FIG. 21. *COPPINARIA* ...



hygrophanous



100. T



M.C.C



R.E.B.

AGARICUS (PSATHYRELLA) GRACILIS. Berk.
on the moist ground. Kew. Oct., 1881.



COCHRINARI.



M.C.C.

R.E.B.

COCHRINARIA HYMENOGLYPTA BRASILENSIS (Fr.)
 in the hooded cap Now with the M.C.C.



deeply sulcate.

M.C.C.

AGARICUS (PSATHYRELLA) ARATUS. Berk.
by hedges and waysides. Woodnewton.



AGARICUS (PSATHYRELLA) TREPIDUS. *Fries.*
in muddy marshes. Balwick, 1863.



AGARICUS (PSATHYRELLA) HYDROPHORUS. *Bull.*
in gardens. Sibbertoft. 1871.



hygrophanous.



M.C.C.

AGARICUS (PSATHYRELLA) CAUDATUS. *Fries.*
on rich soil. Hookering Sept., 1883.





A




M.C.C.

Credinhill.




B

VARIETY.



a.



b.

X 700

W.G.S.

Epping Forest.

AGARICUS (PSATHYRELLA) PRONUS. *Fries.*
in grassy places and on lawns. Autumn.





A




M.C.C.

Credinhill.




B

VARIETY.



a.



b.

X 700


W.G.S.

Epping Forest.

AGARICUS (PSATHYRELLA) PRONUS. Fries.
in grassy places and on lawns. Autumn.



hygrophanous, strong scented.



AGARICUS (PSATHYRELLA) EMPYREUMATICUS. *B. & Br.*
on rotten wood. Sibbertoft. 1870.



AGARICUS (PSATHYRELLA) DISSEMINATUS. *Pers.*
on old trunks. Epping Forest. Oct., 1894.

M.C.C.



pileus atomate.



M.J.B.



AGARICUS (PSATHURELLA) ATOMATUS

by roadsides, &c.

Sibbertoft.



hygrophanous, atomate.


G.M.



AGARICUS (PSATHYRELLA) CRENATUS. Fries.
amongst grass. Scarborough.



edible.



14 X 8

M.C.C.

COPRINUS COMATUS. Fries.
on the ground. Common.





COPRINUS OVATUS. Schaff.
in pastures. Woodnewton.






M.C.C.

COPRINUS STERQUILINUS. Fries.
in cucumber frame. Coventry. July, 1884.





after Bolton.

COPRINUS OBLECTUS. Bolton.
on dunghills. Halifax.



edible.

500
50

9 X 6



M.C.C.


COPRINUS ATRAMENTARIUS. *Fries.*
about old stumps, and on naked soil. Common.



edible.

500
500
500

9 X 6



M.C.C.



COPRINUS ATRAMENTARIUS. *Fries.*
 about old stumps, and on naked soil. Common.



G.M.

COPRINUS (PELLICULOSI) SOBOLIFERUS. Fries.
 base of decayed elm. Chiswick. Sept. 1887.






10 X 6

R.E.B.

COPRINUS FUSCESCENS. *Fries.*
at the base of trunks Sibbertoft. Oct., 1883.




densely caespitose.



M.C.C.

COPRINUS FUSCESCENS. Fr. var. RIMOSO-SQUAMOSUS.
on the ground. Sydenham. Oct., 1863.






COPRINUS PICACEUS. *Bulhard.*
on the ground in woods. *Haywood Forest.* 1884.





after Bolton.



COPRINUS APHTHOSUS. Fries.

on decayed wood in cellars. Twickenham. 1871.





M.J.B.


COPRINUS FLOCCULOSUS. De Cand.
in gardens, &c. King's Cliffe. June, 1867.





COPRINUS EXTINGTORIUS. Bull.
about the roots of ash trunks





M.C.C.

COPRINUS FIMETARIUS. Fr. var. PULLATUS. Bolton.
on dung. Haywood Common. Oct., 1883.






M.J.B.

14 X 9

COPRINUS FIMETARIUS. Fries. var. *MACRORRHIZUS*. Pers.
on dung. King's Cliffe.






M.J.B.

COPRINUS CINEREUS. Schaeff.
 on dung and rich soil. King's Cliffe.






COPRINUS TOMENTOSUS. Bulliard
on rich soil in gardens



COPRINUS NIVEUS. Fries.
on horse dung. Common.





M.C.C.


COPRINUS MICACEUS. *Fries.*
about old stumps. Kew Gardens. Oct., 1882.





R.E.B.


COPRINUS ARATUS. Berk & Br.
in hollow trunk. Sibbertoft.




M.C.C.

COPRINUS ARATUS. Berk & Br.
inside old stump. Epping Forest. 1881.





COPRINUS RADIANS. *Fries.*
on moist walls. Bungay. 1866.



COPRINUS PAPILLATUS. *Batsch.*
on the ground and dung. Fordingbridge.





COPRINUS ALTERNATUS. Schum.
 on moist ground. Swanscombe. 1882.






M.C.C.

COPRINUS DELIQUESCENS. *Fries*
on trunks, and dead leaves. *Kew Gardens.* 1882.





G.M.

COPRINUS (BELLINI) TARDUS — Kuntze
 on the ground — Kuntze, *Bot. Anz.* 1880



densely caespitose.




M.C.C.

COPRINUS CONGREGATUS. Bulliard.
by roadsides. Loughton. Oct., 1884.



A




M.J.B.

COPRINUS HENDERSONII. Berk & Br.
 on dung, and in hotbeds. Milton, Norths.

odour strong.

B



11 X 5-6

W.P.

COPRINUS NARCOTICUS. Fries.
 on dung. Shrewsbury. Oct., 1879.






W.G.S.

COPRINUS LAGOPUS. *Fries.*
on rotten wood, and dung. St. Leonard's.




A



M.J.B.


COPRINUS MACROCEPHALUS. Berk.
on dung. Cotterstock Norths.

B



COPRINUS NYCTHEMERUS. Fries.
on dung. King's Cliffe, Norths.





COPRINUS RADIATUS. *Fries.*
on dung, Hampstead. 1882.



COPRINUS SPRAGUEI. *Berk & Curt.*
in gardens, King's Cliffe. July.





M.J.B.

COPRINUS DOMESTICUS. *Fries.*
amongst rubbish, on carpets, &c.




A



COPRINUS STERCORARIUS. *Fries.*
on dungy soil, by roadsides, &c. Abridge.

B




COPRINUS EPHEMERUS. *Fries.*
on dunghills, and by roadsides. King's Cliffe.

M.J.B.






COPRINUS PLICATILIS. *Fries.*
in pastures. Common.



COPRINUS FILIFORMIS. *Berk & Br.*
on the ground in woods. Colleyweston.

M.C.C.






A



COPRINUS HEMEROBIUS. *Fries.*
by roadsides.

B



M.J.B.

COPRINUS PLATYPUS *Berk.*
on palm sheath in stove.






HIATULA WYNNIÆ B. & Br.
in a stove, Kew. 1872.




W.P.

BOLBITIUS BOLTONI *Fries.*
on dung heaps. Meole. June, 1879.





BOLBITIS VITELLINUS. *Fries.*
on horse dung. Carlisle.



10-12X6-7

BOLBITIS RIVULOSUS. *Berk. & Br.*
in Orchid House, Chiswick.






M.C.C.

BOLBITIUS TITUBANS *Fries.*
on the ground, Ashmankhaugh, Aug. 1881.





R.E.B.

BOLBITIUS TENER *Fries.*
amongst grass. Orton. Aug. 27, 1883.





R.E.B.

BOLBITIUS TENER *Fries.*
amongst grass. Orton. Aug. 27, 1883.





M. C. C.

CORTINARIUS (PHLEGMACIUM) TRIUMPHANS. *Fries.*
under birch trees. Dinmore. Sept. 15th, 1884.





CORTINARIUS (PHLEGMACIUM) CLARICOLOR. *Fries.*
under birch trees.





M.C.C.

CORTINARIUS (PHLEGMACIUM) TURMALIS. *Fries.*
in beech or larch plantations, chiefly amongst beech leaves.





M.C.C.

CORTINARIUS (PHLEGMACIUM) CRASSUS Fries.
amongst grass. Crowell, Oxon. Oct., 1885.





M.C.C.

CORTINARIUS (PHLEGMACIUM) BALTEATUS. Fries.
in mixed woods, often amongst fir leaves.





M.C.C.

CORTINARIUS (PHLEGMACIUM) SEBACEUS, Fries.
on the ground. Haywood Forest. Oct., 1884.





CORTINARIUS (PHLEGMACIUM) LUSTRATUS. *Eries.*
on grassy slopes. Cabalva.





CORTINARIUS (PHLEGMACIUM) VARIUS. *Fries.*
under fir trees, &c. Dinmore. Oct., 1883.





M.C.C.

CORTINARIUS (PHLEGMACIUM) CYANOPUS. Fries.
under beech trees. Highbeech. Sept. 29th, 1883.





M.R.

Common
 in woods.

CORTINARIUS (PHLEGMACIUM) VARIICOLOR. Fries.

in woods.



M.C.C.

9-10x5

CORTINARIUS (PHLEGMACIUM) VARIICOLOR, var. NEMORENSIS. Fries.
 under beech. Carlisle. Sept. 1887.





M.C.C.

CORTINARIUS (PHLEGMACIUM) LARGUS. *Fries.*
under trees *Hampstead Forest* *Oct. 1881*





CORTINARIUS (PHLEGMACIUM) RIEDERI. *Fries.*
under fir trees. Epping. Oct. 1880.





H.G.B.

CORTINARIUS (PHLEGMACIUM) SAGINUS. Fries.
under trees. Hanwood Forest






M.C.C.

CORTINARIUS (PHEGMACIUM) RUSSUS. *Fries*
amongst pines, &c. *Credinhill.* Oct. 1882.






CORTINARIUS (PHLEGMACIUM) INFRACTUS. *Fries.*
under beech. Dinmore. Oct., 1883.



CORTINARIUS (PHLEGMACIUM) ANFRACTUS. *Fries.*
in moist woods. *Shrewsbury.* Oct., 1883.





15 X 9

M.J.B.

CORTINARIUS (PHLEGMACIUM) BERKELEYI.
(= *Cortinarius anfractus*. Berk, not Fries.)


Cooke.
In woods.





E.B.

CORTINARIUS (PHELEGMACIUM) BERKELEYI. Cooke.
Cortinarius anfractus. Berk, not Fries. In woods.



M.C.C.

CORTINARIUS (PHLEGMACIUM) MULTIFORMIS, *Fries.*
in woods. Pontilas. Sept. 1885.



mild



veil white



M.C.C.



CORTINARIUS (PHLEGMACIUM) MULTIFORMIS. Fries. var. FLAVESCENS.
 under beech trees. Highbeach, Epping Forest. Oct., 1884.



M.C.C.

CORTINARIJS (PHLEGMACIUM) NAPUS. *Fries*
in fir woods. Ledbury. Oct., 1883.





C.B.P.



T.H.

CORTINARIUS (PHLEGMACIUM) ALLUTUS. Fries.
 in fir woods. Guildford. Oct. 1883.





CORTINARIUS (PHLEGMACIUM) TALUS. *Fries.*
in woods. *Epping Forest.* Oct., 1885.





M.C.C.

CORTINARIUS (PHLEGMACIUM) GLAUCOPUS. *Fries.*
 under trees. Queen's Cottage, Kew.





M.J.B.


CORTINARIUS (PHLEGMACIUM) CALOCHROUS. Fries.






CORTINARIUS (PHLEGMACIUM) CÆRULESCENS. Fries.
 amongst leaves. Alresford, Hants. Oct. 1886.






CORTINARIUS (PHLEGMACIUM) CAERULESCENS. Schaff.
under trees. Wycliff Wood, &c. Oct. 1882.





CORTINARIUS (PHLEGMACIUM) PURPURASCENS, Fries.
amongst beech leaves. Epping Forest. Oct. 1880.





CORTINARIUS (PHLEGMACIUM) PURPURASCENS. Fries.
under trees. Queen's College Grounds, Kew. Oct. 1884.

712



CORTINARIUS (PHLEGMACIUM) PURPURASCENS. var SUBPURPURASCENS. Fries
 amongst beech leaves. Monk's Wood, Epping. Oct. 1883.




CORTINARIUS (PHLEGMACIUM) DIBAPHUS Fr. var. XANTHOPHYLLUS.
In mixed woods. Dinmore. Oct. 1885.







CORTINARIUS (PHLEGMACIUM) TURBINATUS. *Ball.*
in beech woods. Epping Forest.





M.C.C.



C.B.P.

CORTINARIUS (PHLEGMACIUM) CORROSUS. Fries.
in pine woods. Rothiemurchas. Sept., 1883.






CORTINARIUS (PHLEGMACIUM) FULGENS. Fries.
in fir woods, &c. Fownhope Wood, Hereford.





M.C.C.



10 X 5 - 6

C.B.P.

CORTINARIUS (PHLEGMACIUM) FULMINEUS. Schaff.
in shady woods. Ledbury. Oct., 1883.





CORTINARIUS (PHELEGMACIUM) ORICHALCEUS. *Fries.*
under trees. Lyndhurst, Hants. 1884.






M.J.B.

CORTINARIUS (PHLEGMACIUM) PRASINUS. *Fries.*
in beech woods. *King's Cliffe.*



taste bitter.



G.M.

CORTINARIUS (PHLEGMACIUM) ATRO-VIRENS. Ksch.
under fir trees. Scarboro' Oct. 1884.






M.J.B.

CORTINARIUS (PHLEGMACIUM) SCARUS. *Fries.*
in moist woods. (A) Durdham Downs. Oct. 1885.





CORTINARIUS (PHELEGMACIUM) HERPETICUS. *Fries.*
on the ground, in woods, near Carlisle. Sept. 1887.



W.G.S.

CORTINARIUS (PHLEGMACIUM) CUMATILIS. *Fries.*
in beech woods. *Shubden.* 1858.



viscid when moist.

CORTINARIUS (PHLEGMACIUM) EMOLLITUS. *Fries.*
under beech trees. Epping Forest. Oct. 1882.

acid, hygrophaneus.



CORTINARIUS (PHLEGMACIUM) CRISTALLINUS. Fries.
 amongst beech leaves. Mattishall, Norfolk.



726

PL. 729.

mild



CORTINARIUS (PHLEGMACIUM) DECOLORATUS. *Fries.*
under trees. Highbeach, Essex. Sept. 1883.



CORTINARIUS (PHLEGMACIUM) DECOLORANS. *Fries.*
under trees. Epping Forest. Oct. 1885.



CORTINARIUS (PHLEGMACIUM) PORPHYROPUS. A. & S.
amongst dead leaves. Coed Coch. 1871.



C.B.



CORTINARIUS (PHLEGMACIUM) CROCEO-CÆRULEUS. Pers.
 under beech, &c. Durdham Down, &c. 1884.



730

PL 733

viscid.



T.H.

CORTINARIUS (PHEGMACIUM) CORRUSCANS. *Fries.*
under beech. Shiere Bottom.






C.B.

CORTINARIUS (PHELEGMACIUM) PAPULOSUS. *Fries.*
in woods. Durham Down. Oct. 1883.





C.B.

A

A

B

B


CORTINARIUS (MYXACIUM) ARVINACEUS. Fries.
 under trees (A) Blaize Castle Woods, Bristol. Oct. 1882.






W.G.S.

CORTINARIUS (MYXACIUM) COLLINITUS Fries.
 in woods. not uncommon.



T.H.

CORTINARIUS (MYXACIUM) MUCOSUS. Fries.
Amongst fir leaves. Blackheath.



M.C.C.

CORTINARIUS (MYXACIUM) MUCIFLUUS Fries.
under firs. Black Park, Langley. Sept. 1882.






M.C.C.

CORTINARIUS (MYXACIUM) ELATIOR. *Fries.*
Under trees. Epping Forest. 1884.





M.C.C.


CORTINARIUS (MYXACIUM) ELATIOR. *Fries.*
under beeches. Highbeach, Epping 1885.



W.G.S.

CORTINARIUS (MYXACIUM) GRALLIPES. Fries.
 A. Ashton Park, Bristol. B Haywood Forest.






C.B.P.

M.C.C.

W.G.S.

CORTINARIUS (MYXACIUM) LIVIDO-OCRACEUS. Berk.
on the ground. Dinmore, near Hereford. 1876.





CORTINARIUS (MYXACIUM) SALOR. Fries.
 (B abnormal) on the ground Coel Coch





M.C.C.

CORTINARIUS (MYXACIUM) DELIBUTUS. Fries.
amongst grass in woods near Carlisle. Oct. 1886.

W.G.S.

8 X 6


M.C.C.



CORTINARIUS (MYXACIUM) STILLATITIUS. Fries.
 amongst moss. St. Leonards, Hayward Heath, &c.



taste acrid.



M.C.C.

CORTINARIUS (MYXACIUM) VIBRATILIS. *Fries.*
in woods. Mattishall. Norfolk.





CORTINARIUS (MYXACIUM) PLUVIUS. Fries.
 in pine woods, near Gainsborough. Sept.





Cornell
University
Library

M.C.C.

CORTINARIUS (INOLOMA) ARGENTATUS. Fries.
under trees. Highbeach, Epping. Oct. 1885.



W.G.S.

CORTINARIUS (INOLOMA) ARGENTATUS. var. PINETORUM. Fries.
in fir woods. Jedburgh. Sept. 1872.





M.C.C.

CORTINARIUS (INOLOMA) VIOLACEUS. Fries.
on the ground. Dinedor, 1881.




odour strong.



M.C.C.



CORTINARIUS (*INOLOMA*) MURICINUS. *Fries.*
under firs. Dinedor. Oct. 1881.




M.C.C.

CORTINARIUS (INOLOMA) ALBO-VIOLOACEUS. *Fries.*
amongst leaves. Highbeach, Epping.



Inodorous.



M.C.C.

CORTINARIUS (*INOLOMA*) MALACHIUS *Fries.*
under fir trees. Pontrilas. . Sept. 1885.




odour strong.

CORTINARIUS (*INOLOMA*) CAMPHORATUS. *Fries.*
in fir woods. Northamptonshire.

subcaespitose.

M.C.C.

CORTINARIUS (INOLOMA) TOPHACEUS Fries.
 in beech woods. Rothiemurchas Aug. 1893.



CORTINARIUS (*INOLOMA*) REDIMITUS. *Fries.*
in beech woods. Scotland, Ballater.



CORTINARIUS (INOLOMA) CALLISTEUS. Fries.
in woods. near Bristol, and King's Cliffe.



M.C.C.

CORTINARIUS (INOLOMA) CALLISTEUS. *Fries.*
 under larch. *Carlisle. Sept. 1887.*




Olidus.



M.C.C

CORTINARIUS (INOLOMA) BULLIARDI. *Fries.*
 amongst leaves. Haywood Forest. Oct. 1883.





M.C.C.

CORTINARIUS (INOLOMA) VINOSUS. Cooke.
 under trees. Eastnor Park. Oct. 1884.






M.J.B.

W.P.

CORTINARIUS (INOLOMA) BOLARIS. *Fries.*
in beech woods. King's Cliffe.





CORTINARIUS (*INOLOMA*) PHOLIDEUS. *Fries.*
in mixed woods. Wycliffe Woods. Oct. 1883.



Odor raphani.

M.C.C.

CORTINARIUS (INOLOMA) SUBLANATUS Fries.
in larch plantations, &c. near Ludlow.



CORTINARIUS (INOLOMA) ARENATUS, Fries.
 amongst leaves. Coed Coch.





C.B.



CORTINARIUS (INOLOMA) PENICILLATUS Fries.
on ground in woods. Blaize Castle. Sept. 1884.

